



**PRODUCT CATALOG
// CONSTRUCTION**



®

We are a trading company specializing since 1992 in the sale of many types of adhesive tapes, as well as HDPE and LDPE protective films and packaging materials such as stretch film and packaging tapes.

As an importer of most of our assortment, we can guarantee highly competitive prices as well as continuity and regularity of deliveries. We offer a wide selection of adhesive tapes in various sizes to meet customers' expectations in terms of both price and product quality. We deliver using our own transport, and for long-term cooperation, we offer a convenient discount system.

Our brands



Gerlinger



Klebeband



GP Masking Tape - FASTEC



- paper-based, coated with Hot-Melt adhesive (synthetic rubber), thickness 90µm
- for protecting painted and varnished surfaces
- used for packing and labeling packages
- used at home, in paint shops, in service companies
- other lengths are also available for sale - ask the advisor

PAKART INDEX	0921-FAST	0922-FAST	0923-FAST	0924-FAST	0925-FAST
SIZE	19mmx50m	25mmx50m	30mmx50m	38mmx50m	48mmx50m
PACKING	1/48	1/36	1/32	1/24	1/24

Gerband 103 Construction and Painting Tape



- covered with solvent adhesive (natural rubber)
- waterproof paper-based with acrylic adhesive, resistant up to 80°C
- used for painting with paint guns
- prevents dust settling on wet paint during painting

PAKART INDEX	0241	0242	0243	0244	0245
SIZE	19mmx50m	25mmx50m	30mmx50m	38mmx50m	50mmx50m
PACKING	1/48	1/36	1/32	1/24	1/24



Masking Tape UV Blue



- for indoor and outdoor use
- waterproof paper-based with acrylic adhesive
- used for protection when painting walls, moldings, and floor profiles
- resistant to UV radiation
- adheres perfectly to most surfaces and leaves no residue after use (when removed within 14 days.)
- does not seep when painting

PAKART INDEX	0945	0944	0943	0933-A	0939-A	0940-A
SIZE	48mmx25m	38mmx25m	30mmx25m	30mmx50m	38mmx50m	48mmx50m
PACKING	1/24	1/24	1/32	1/32	1/24	1/24

WASHI GOLD Masking Tape



- rice paper-based
- distinctive fibers enhance the absorption of chemicals and waxes
- high resistance to moisture
- resistant to crushing and wrinkling
- used for precise separation and masking of delicate surfaces
- does not cause a seepage effect

PAKART INDEX	0713	0714	0715
SIZE	30mmx50m	38mmx50m	48mmx50m
PACKING	1/40	1/32	1/24





PE Painter's Tape



- PE (polyethylene)-based
- designed for outdoor use in painting and plastering work
- for protecting painted and varnished surfaces
- resistant to weather conditions (UV up to 14 days)
- excellent adhesion and removal without surface damage

PAKART INDEX	0833	0834	0835	0836
SIZE	38mmx50m	48mmx50m	38mmx25m	48mmx25m
PACKING	1/24	1/24	1/24	1/24

Masking Tape Krepp- 262



- paper-based, coated with Hot-Melt adhesive (synthetic rubber)
- for protecting painted and varnished surfaces
- used for packing and labeling packages
- used at home, in paint shops, in service companies

PAKART INDEX	0341	0342	0343	0344	0345
SIZE	19mmx50m	25mmx50m	30mmx50m	38mmx50m	48mmx50m
PACKING	1/48	1/36	1/32	1/24	1/24



Universal Plastering Tape External FASTEC



- fabric-based, coated with synthetic rubber and a waterproof layer
- used for plaster repairs, fixings, and protection
- easily formable and manually tearable
- resistant to weather conditions

PAKART INDEX	0736-A	0736	0737	0738	0738-A
SIZE	48mmx20m	48mmx33m	48mmx50m	38mmx20m	38mmx50m
PACKING	1/36	1/36	1/24	1/48	1/32

Universal Plastering Tape STRONG



- fabric-based, coated with synthetic rubber and a waterproof layer
- used for outdoor work during the application of silicone plasters
- works well on particularly rough surfaces
- easily formable and manually tearable
- resistant to weather conditions

PAKART INDEX	0740
SIZE	48mmx50m
PACKING	1/24





PP Tape Metallized



- self-adhesive polypropylene, metallized
- specifically designed for a range of applications in the installation industry
- for joining and wrapping insulation materials
- used for vapor-tight insulation of air conditioning or heating installations
- also used for covering screens in screen printing technique

PAKART INDEX	0472-A	0472
SIZE	50mmx50m	75mmx50m
PACKING	1/72	1/24

Aluminum Tape



- made of pure aluminum
- used in installation work as insulation (ventilation, air conditioning)
- resistant to moisture and temperatures
- resistant to abrasion and aging

PAKART INDEX	0171-A
SIZE	50mmx50m
PACKING	1/24




Aluminum Tape Reinforced



- covered with acrylic adhesive protected by polyethylene backing material
- aluminum backing-based, reinforced with fiberglass
- has good adhesion, allowing it to be used in difficult conditions
- used in installation work as insulation (ventilation, air conditioning)
- used as insulation for steam pipes
- moisture and temperature resistant, tear-resistant, and durable against abrasion and aging

PAKART INDEX	0173
SIZE	48mmx50y
PACKING	1/24

Aluminum Tape for fireplaces



- resistant to temperatures up to 350°C
- for fireplace insulation

PAKART INDEX	0175	0179
SIZE	50mmx50y	50mmx10y
PACKING	1/24	1/72






Double-Sided Tape G-944



- for securing floor coverings and carpets, as well as for specialized applications
- on polypropylene film with modified acrylic adhesive
- used for joining PVC moldings
- for bonding various types of flooring, such as stone pavements

PAKART INDEX	0113	0114
SIZE	12mmx100m	19mmx201m
PACKING	1/50	1/16

Double-Sided Tape PP Ulith




- on a PP (polypropylene) film backing
- coated with white Hot-Melt adhesive (synthetic rubber)
- ideal for bonding on all substrates
- used for installing floor coverings and carpets

PAKART INDEX	0323	0324	0325	0326	0327	0328-W
SIZE	38mmx5m	38mmx10m	38mmx25m	48mmx5m	48mmx10m	48mmx25m
PACKING	1/112	1/112	1/84	1/80	1/60	1/30




Reinforced Double-Sided Tape on Ulith fabric



- on a fabric backing
- ideal for bonding on uneven surfaces
- used for permanently installing floor coverings and carpets

PAKART INDEX	0333	0334	0335
SIZE	50mmx5m	50mmx10m	50mmx25m
PACKING	1/80	1/60	1/30

Double-Sided Tape PP FASTEC



- PP (polypropylene) film-based
- coated with white Hot-Melt adhesive (synthetic rubber)
- used for installing carpets, skirting boards, floor coverings, and profiles
- adhesive to smooth surfaces

PAKART INDEX	0323-FAST	0324-FAST	0325-FAST	0326-FAST	0327-FAST	0328-FAST	0329-FAST
SIZE	38mmx5m	38mmx10m	38mmx25m	48mmx5m	48mmx10m	48mmx25m	25mmx10m
PACKING	1/42	1/42	1/42	1/36	1/36	1/36	1/72





Warning Tape



- for marking construction sites
- during roadworks and earthworks
- for marking communication routes
- WE ALSO PRODUCE TAPES WITH PRINTING

PAKART INDEX	0517-S	0519-S	0520	0515	0521-M	0518-S	0516-R
SIZE	80mm x100m	80mm x200m	80mm x500m	120mm x100m	120mm x500m	80mm x100m	120mm x100m
PACKING	1/42 	1/30 	1/16 	1/27 	1/8 	1/42 	1/28 

Self-adhesive warning tapes and tapes for communication routes



- vinyl backing-based, coated with rubber adhesive
- marking communication routes
- marking emergency exits and hazardous areas
- resistant to scratches, wear, and weather conditions

PAKART INDEX	1548	1549-A	1550	1551	1553	1553-B	1554-B	1555	1557
SIZE	50mmx33m								
PACKING	1 	1 	1 	1 	1 	1 	1 	1 	1 



Universal Tape GERBAND G-258



- Fabric Tape with PE Film
- very high adhesive strength, resistant to aging, and highly abrasion-resistant
- for wrapping powder-coated textured aluminum profiles
- for cable installation and color marking on surfaces
- for marking communication routes in halls and warehouses
- colors: white, black, red, yellow, blue, green

PAKART INDEX	1548-G	1549-G	1550-G	1551-G	1552-G	1555-G
SIZE	50mmx50m Biała	50mmx50m Czarna	50mmx50m Czerwona	50mmx50m Zielona	50mmx50m Żółta	50mmx50m Niebieska
PACKING	18 szt.	18 szt.	18 szt.	18 szt.	18 szt.	18 szt.

Mounting Tape GERBAND 906



- high resistance to weather conditions, resistant to temperatures from -40°C to 70°C (temporarily up to 120°C)
- suitable for indoor and outdoor use
- used for mounting posters, emblems, hooks, hangers, and profiles including car moldings

PAKART INDEX	0212-OP	0213-OP	0214-OP	0215-OP	0216-OP	0218-OP
SIZE	6mmx5m	9mmx5m	12mmx5m	15mmx5m	18mmx5m	25mmx5m
PACKING	180 szt.	160 szt.	120 szt.	100 szt.	80 szt.	60 szt.





Double-Sided Mounting Tape FASTEC



- PE (polyethylene)-based
- foam tape adheres perfectly to rough surfaces
- used for joining small metal surfaces
- used for mounting posters, emblems, hooks, hangers, and profiles, etc.

PAKART INDEX	0506-FAST	0507-FAST	0508-FAST	0970
SIZE	19mmx5m	30mmx5m	50mmx5m	19mmx1,5m
PACKING	1/32	1/20	1/12	1/64

Repair Tape Duct Tape



- polyester fabric-based with LDPE film
- coated with Hot-Melt adhesive (synthetic rubber)
- resistant to external factors
- perfect for joining and repair work
- used in plumbing, air conditioning, insulation, and packaging
- useful at home for various applications
- allows for manual tearing
- tear-resistant



PAKART INDEX	0729	0730	0731	0732
SIZE	48mmx5y	48mmx10y	48mmx25y	48mmx50y
PACKING	1/36	1/36	1/36	1/24

Colored Duct Repair Tapes



- Universal General-Purpose Adhesive Tape
- on synthetic fabric coated with polyethylene on one side and Holt-Melt adhesive on the other side
- perfect for joining and repair work
- used, among others, in plumbing, air conditioning, insulation, and packaging
- high resistance to external factors

PAKART INDEX	0733-E / white	0733-D / blue	0733-C / black	0733-A / red	0735-Ż / yellow
SIZE	48mmx50y	48mmx50y	48mmx50y	48mmx50y	48mmx25y
PACKING	1/24	1/24	1/24	1/24	1/36

Scratch-Resistant Tape FASTEC



- Single-Sided Fiberglass Mesh-Based Adhesive Tape
- used for joining drywall panels
- used for reinforcing joints between drywall panels
- for repairing larger cracks
- for filling gaps in walls and ceilings

PAKART INDEX	0431-A	0432-FAST	0434-FAST	0436-FAST	0438-FAST	0444-3	0444-02-A
SIZE	45mm x10m	45mm x20m	45mm x45m	45mm x90m	150mm x20m	75mm x20m	100mm x20m
PACKING	1/48	1/48	1/36	1/36	1/36	1/40	1/30





Scratch-Resistant Tape WELON



- non-woven fabric-based
- used for renovation and construction work when joining plasterboard sheets
- also used for masking cracks and gaps in plasterwork

PAKART INDEX	0439	0439-C	0439-A
SIZE	50mmx25m	10cmx25m	1mx25m
PACKING	1/100	1/1	1/1

Acoustic Tape



- polyethylene foam-based with a non-drying adhesive layer
- sound-dampening material between elements of plasterboard partitions
- used when installing aluminum profiles
- significantly affects the damping and dispersion of acoustic vibrations
- it also provides excellent thermal insulation
- has good adhesion, allowing it to be used in difficult conditions
- used in installation work as insulation (ventilation, air conditioning)

PAKART INDEX	0039	0040	0041	0042
SIZE	30mmx30m	50mmx50m	75mmx50m	95mmx50m
PACKING	1/30	1/18	1/10	1/10



PVC Masking Tape



- for indoor and outdoor use in painting and plastering-drywall work
- adheres perfectly to most surfaces (concrete, wood, metal)
- resistant to moisture and UV rays
- easy tape tearing during application

PAKART INDEX	0469-A	0470-A	0471-A	0369-A	0370-A	0371-A
SIZE	48mmx25m	38mmx25m	30mmx25m	48mmx33m	38mmx33m	30mmx33m
PACKING	1/36	1/48	1/60	1/36	1/48	1/60

Speedy Mask Film



- protective painter's tarp with self-adhesive masking tape
- tape + film - 2 in 1
- excellent adhesion to surfaces
- used for masking and protecting large surfaces
- removable within 2 days without leaving any residue

PAKART INDEX	0868	0869	0870	0871
SIZE	550mmx20m	1400mmx20m	1800mmx20m	2700mmx17m
PACKING	1/60	1/30	1/20	1/20



Protective Films HDPE i LDPE



- HDPE films made of highly cross-linked polyethylene (pure granulate)
- HDPE and LDPE are used to protect against dirt and moisture in painting works
- both types of films are highly tear-resistant
- LDPE films are available in two colors: darker and lighter (straw color)

PAKART INDEX	0526	0530	0627	0628	0629	0630
SIZE	4mx5m	4mx12,5m	4mx5m	4mx5m	4mx5m	4mx5m
/MATERIAL	HDPE	HDPE	18my LDPE	23my LDPE	27my LDPE	33my LDPE
PACKING	1/40	1/20	1/35	1/28	1/22	1/18

PAKART INDEX	0631	0632	0633	0639	0634	0635
SIZE	4mx5m	4mx5m	4mx5m	4mx6m	4mx12,5m	4mx12,5m
/MATERIAL	36my LDPE	47my LDPE	67my LDPE	90my LDPE	18my LDPE	27my LDPE
PACKING	1/15	1/12	1/10	1/7	1/12	1/10

Protective Film transparent LDPE



- used in painting works to protect against dirt
- made of pure PE granulate with thicknesses of 30 and 60 microns
- high light transmission
- no unpleasant odor, which can occur with films made from regranulate

PAKART INDEX	0631-FAST	0633-FAST
SIZE	4mx5m / grubość 30my	4mx5m / grubość 60my
PACKING	1/22	1/10



Protective Film Self-adhesive



- simple application method
- used for protection against dirt and damage
- adheres well to surfaces (especially facade surfaces)
- easily removable and leaves no adhesive residue

PAKART INDEX	0050-B BLUE	0050-E TRANSPARENT	0054	0055
SIZE	500mmx75mm	500mmx75mm	500mmx100mm	1000mmx10mm
PACKING	1/6	1/6	1/2	1/1



Black Construction Film with certification



- protecting structures and components exposed to damage during construction
- used as a moisture barrier layer under floors, floor coverings, and screeds
- protection of thermal insulation

PAKART INDEX	0642
SIZE	5mx20m / thickness 120my
PACKING	1/1

Black Construction Film type 200



- protecting structures, scaffolding, and components exposed to damage during construction
- slip-resistant layer on terrace surfaces
- for creating vapor barriers during painting and plastering works
- used as a moisture barrier layer under floors, floor coverings, and screeds
- protection of thermal and acoustic insulation, and aerated concrete elements

PAKART INDEX	0640
SIZE	5mx20m / thickness 55my
PACKING	1/1



Construction Film "straw"



- high-quality construction film with a thickness of 25 microns
- very strong and easy to unfold
- used for protection against paint, dust, contaminants, and moisture
- made of high-quality regranulate
- ideal for protecting windows

PAKART INDEX	0644
SIZE	2mx50m / thickness 25my
PACKING	1/1



Yellow vapor barrier film



- workstation protection, building materials protection
- temporarily used for vapor barrier insulation in wall, roof, and ceiling constructions
- temporary protection of roof surfaces
- can be used as a moisture barrier layer for floors, screeds, and under panels

PAKART INDEX	0641
SIZE	2m x 50m
PACKING	1/1





Stretch Film



- popular packaging material (e.g., pallet wrapping)
- protects against damage during transportation
- used in many industries
- possibility of producing custom weights up to 4.5 kg gross

PAKART INDEX	0541-R transparent	0541-FM black	0542-Z transparent	0542-M. black	0544-P. transparent	0544-B black
SIZE	1,50kg brutto	1,50kg brutto	2,50kg brutto	2,50kg brutto	0,70kg brutto	0,70kg brutto
PACKING	1/6	1/6	1/4	1/4	1/6	1/6

Solid cardboard



- ray recycled cardboard with a smooth, matte surface
- the thickest paper material
- used in industry and as a material for packaging production

PAKART INDEX	0961-SDM
SIZE	1mx20m 280g/m2
PACKING	1/1



Corrugated Cardboard



- for packaging various products
- protects against damage
- application in construction, industry, and as a material for artists

PAKART INDEX	0524-R	0524-RB	0524-RC	0524-RD
SIZE	1mx15m	1mx25m	1mx100m	120x100m
PACKING	1/1	1/1	1/1	1/1

Protective Painter's Mat Felt with Film



- floor protection mat for renovation, resistant to mechanical damage
- the bottom layer is covered with anti-slip PE film
- dampens vibrations and sounds, protects when setting up, e.g., a ladder
- reusable - after the work is finished, it can be rolled up and used again

PAKART INDEX	965-A
SIZE	1x10mb / 10m ²
PACKING	1/1





Bubble Wrap Film



- packaging and protective film for items (e.g., furniture, glass, ceramics, electronics, etc.)
- air bubbles protect the product from shocks and impacts
- flexible, easily conforms to the shape of the packaged surfaces
- has insulating properties, tear-resistant

PAKART INDEX	0553	0554	0556	0557	0557-A
SIZE	100cmx100m	120cmx100m	150cmx100m	60cmx100m	30cmx100m
PACKING	1/1				

Painter's Paper




- bends in all directions and does not break
- suitable for all furniture work, renovations, and wallpapering
- ideal as packaging paper (for moving) and protective paper
- available in various weights and widths

PAKART INDEX	0950-DM
SIZE	1mx20m
PACKING	1/1



FASTEC Sliding Tape




- used in the installation of drywall panels to create a sliding joint at the junction of the panel with another material (e.g., wall or plastered surface)
- allows for flexible movement of the filling material in the joint at the junction of different surfaces



PAKART INDEX	0433-A
SIZE	48mm x 60m
PACKING	1/36

TUFF-TAPE




- used for joining drywall panels on flat surfaces and in internal corners
- masks cracks and scratches
- easy and quick to install
- resistant to water and rust
- stronger than paper tape

PAKART INDEX	0428-A	0428
SIZE	57mm / 30m	57mm / 10m
PACKING	1/12	1/27




Abrasive Mesh




- perfect for manual finishing of drywall compounds, plasters, and fillers
- also useful for other renovation and construction works
- universal size suitable for various tasks

INDEX	0578 do 0587
MESH GRANULATION	40 - 400
PACKING	50



Abrasive Sponge



- for sanding delicate or curved surfaces
- for dry and wet sanding
- can be used on wood, metal, and plaster

INDEX	1584 do 1588
GRANULATION	46 - 220
PACKING	50



Garbage bags and rubble bags



- durable, flexible LDPE film
- useful for home and garden, packaging various materials such as trash, bulk materials, construction waste (e.g., rubble), etc.
- storage of office documents, household items, etc.



PAKART INDEX	0558-K	0559-K	0560	0561	0562	0563	0564	0565	0565-A	0566	0567-A	0568
SIZE	35L/15	60L/10	120L/10	100L/10	120L/10	120L/25	160L/10	120L/10	120L/10	160L/10	240L/10	380L/10
COLOR	blue	blue	blue	black	black	blue	black	black	black	black	black	black
THICKNESS	garbage	garbage	garbage	75 my	30 my	30 my	45 my	70 my	120 my	70 my	50 my	45 my



Insulating Tape



- made of soft PVC, self-extinguishing, up to 7kV
- for joining components and insulating electrical wires
- good insulating and sealing properties, exceptionally durable
- highly resistant to mechanical damage
- strong adhesion of the tape on insulated electrical circuits

PAKART INDEX	0350-A black	various colors	various colors
SIZE	15mmx10m	19mmx20m	50mmx25m
PACKING	1/250	1/120	1/3

Fabric Tape G-250



- coated with polyethylene film
- tear and rupture-resistant cellulose fiber tape
- with a strongly adhesive, resistant butyl-rubber adhesive
- used for insulation and sealing of pipes, heating ducts, and ventilation ducts
- for wrapping and bundling cables



PAKART INDEX	0204
SIZE	60mmx50m
PACKING	1/18



Double-Sided Tape G-951



- for bonding smooth and rough paper
- when joining ends of different types of paper
- mounting posters, profiles made of plastics and metals
- on a paper backing – can be torn by hand

PAKART INDEX	0108	0109
SIZE	9mmx50m	12mmx50m
PACKING	1/128	1/96

Double-Sided Tape Red Liner



- adhesive with modified acrylic adhesive (on a transparent film backing)
- with a transparent red film liner (MOPP)
- reliable bonding to smooth, porous, and low-energy surfaces
- UV-Resistant Banner Tape
- used for mounting nameplates, signs

PAKART INDEX	0116	0117	0118
SIZE	9mmx50m	12mmx50m	19mmx50m
PACKING	1/32	1/32	1/32





Double-Sided Tape G-940



- double-sided adhesive for joining vapor-permeable films
- on a transparent polyethylene film with acrylic adhesive
- also used as a banner tape

PAKART INDEX	0121
SIZE	50mmx50m
PACKING	1/24

Polyethylene Tape Sealing G-586



- specialized single-sided tape for bonding wind and vapor barriers
- solvent-free and does not contain halogen compounds or heavy metals
- highly flexible and stretchable sealing tape on PE film
- with moisture-resistant adhesive with extremely high adhesion
- for tight bonding and sealing of overlaps of films

PAKART INDEX	0191
SIZE	50mmx25m
PACKING	1/12



Sealing Tape Hermetic G-186



- for bonding wind and vapor barriers
- solvent-free
- does not contain halogen compounds or heavy metals
- for tight bonding and sealing of overlaps of vapor-barrier and hermetic films
- for bonding aluminum films, PP nonwovens, and heavy OSB fiberboard sheets

PAKART INDEX	0190
SIZE	50mmx40m
PACKING	1/12


Sealing Tape for windproofing G-386



- for sealing overlaps of vapor-permeable and vapor-proof films
- as a repair tape for small damages and scratches on the film

PAKART INDEX	0192
SIZE	50mmx25m
PACKING	1/12





Double-Sided Tape G-970 Transfer



- Double-Sided Transfer Tape
- is used for double-sided bonding of insulating coatings
- aging-resistant
- for bonding and laminating materials
- high bonding strength on difficult-to-bond surfaces

PAKART INDEX	0196-A
SIZE	50mmx50m
PACKING	1/12

G-604 Butyl Tape



- flexible rubber tape, durable and water-resistant
- with very high aging resistance
- for permanent sealing of flexible and rigid pipes
- for ventilation and exhaust ducts
- suitable for aluminum, galvanized steel, PE, or rigid PVC

PAKART INDEX	0199
SIZE	75mmx15m
PACKING	1/16



PE tape for joining films 48x20m colorless



- self-adhesive tape
- multi-season
- for repairing and bonding horticultural and construction films
- made of polyethylene
- resistant to all weather conditions

PAKART INDEX	0838
SIZE	48mmx20m
PACKING	1/24



Gerband Adhesive Fortax 6400



- reliably bonds PE, PVC, PP films, EPDM membranes, aluminum films, paper, and roofing felt
- on substrates made of stone, concrete, plaster, wood, and metal
- permanently flexible
- solvent-free
- with very strong adhesion

PAKART INDEX	0194
SIZE	310ml
PACKING	1/12



Gerband Adhesive Fortax 6400



- reliably bonds PE, PVC, PP films, EPDM membranes, aluminum films, paper, and roofing felt
- on substrates made of stone, concrete, plaster, wood, and metal
- permanently flexible
- solvent-free
- with very strong adhesion

PAKART INDEX

0193

SIZE

600ml

PACKING

1/12

Gerband 103 Construction and Painting Tape



- covered with solvent adhesive (natural rubber)
- waterproof paper-based with acrylic adhesive, resistant up to 80°C
- used for painting with paint guns
- prevents dust settling on wet paint during painting

PAKART INDEX

0241

0242

0243

0244

0245

SIZE 19mmx50m

25mmx50m

30mmx50m

38mmx50m

50mmx50m

PACKING 1/48

1/36

1/32

1/24

1/24



Painting Tape Gold Tape



- made of paper for home, paint shops, and service companies
- protecting painted and varnished surfaces
- excellent adhesion and removal without surface damage
- tear-resistant

PAKART INDEX

0781

0782

0783

0784

0785

SIZE 19mmx50m

25mmx50m

30mmx50m

38mmx50m

48mmx50m

PACKING 1/48

1/36

1/40

1/24

1/24



Mounting Tape GERBAND 906



- high resistance to weather conditions, resistant to temperatures from -40°C to 70°C (temporarily up to 120°C)
- suitable for indoor and outdoor use
- used for mounting posters, emblems, hooks, hangers, and profiles including car moldings

PAKART INDEX

0212-OP

0213-OP

0214-OP

0215-OP

0216-OP

0218-OP

SIZE 6mmx5m

9mmx5m

12mmx5m

15mmx5m

18mmx5m

25mmx5m

PACKING 180 szt.

160 szt.

120 szt.

100 szt.

80 szt.

60 szt.





Painting Tape Brown



- made of paper for home, paint shops, and service companies
- protecting painted and varnished surfaces
- excellent adhesion and removal without surface damage
- tear-resistant

PAKART INDEX	0782-P.	0783-P.	0785-P.
SIZE	25mmx40m	30mmx40m	50mmx40m
PACKING	1/36	1/40	1/24

HDPE Film for painters



- films made of highly cross-linked polyethylene
- highly tear-resistant
- protect the surface during painting
- contain an anti-static additive, especially important during painting work

PAKART INDEX	0527	0620
SIZE	4mx5m / thickness 5my	4mx5m / thickness 7my
PACKING	40	40



Protective Film transparent LDPE



- from 18 to 67 microns in thickness and dimensions of 4x5 or 4x12.5 meters
- used in painting works for protection against stains
- are available in two colors: darker and lighter (straw color)

PAKART INDEX	0631-FAST	0633-FAST
SIZE	4mx5m / thickness 30my	4mx5m / thickness 60my
PACKING	1/22	1/10

Stretch Film Mini-Wrap




- used for packing smaller parcels and wrapping various items
- this allows for easier and faster wrapping and protection of small items
- possibility of producing custom weights and in black color

PAKART INDEX	0544-P	0549-PP
SIZE	100mm/225g	250mm/225g
PACKING	6	40



INNOVATIVE COMPREHENSIVE SEALING SYSTEM IN CONSTRUCTION



WYD. NR 25 EN

